

## 2013 PATHFINDER VS PRIMARY COMPETITORS



S = Standard  
A = Available  
N/A = Not Available

**2013  
NISSAN  
PATHFINDER**

**2013  
FORD  
EXPLORER**

**2013  
HONDA  
PILOT**

**2013  
CHEVROLET  
TRAVERSE**

**2013  
TOYOTA  
HIGHLANDER**

<b>ENGINE</b>					
Engine type	DOHC V6	Turbocharged DOHC 4-cyl. DOHC V6 Turbocharged DOHC V6	SOHC V6	DOHC V6	DOHC 4-cyl. DOHC V6
Engine displacement (liters)	3.5	2.0 (4-cyl.) 3.5 (V6)	3.5	3.6	2.7 (4-cyl.) 3.5 (V6)
Horsepower (hp @ rpm)	260 @ 6400	240 @ 5500 (4-cyl.) 290 @ 6500 (V6) 365 @ 5500 (turbo V6)	250 @ 7000	281 @ 6300 288 @ 6300 (LTZ)	187 @ 5800 (4-cyl.) 270 @ 6200 (V6)
Torque (lb-ft @ rpm)	240 @ 4400	270 @ 1750-4000 (4-cyl.) 255 @ 4100 (V6) 350 @ 3500 (turbo V6)	253 @ 4800	266 @ 3400 270 @ 3400 (LTZ)	186 @ 4100 (4-cyl.) 248 @ 4700 (V6)
Timing-chain-driven camshafts	S	S	Timing-belt-driven	S	S
<b>DRIVETRAIN</b>					
Drivetrain choices	FWD 4WD	FWD 4WD	FWD 4WD	FWD AWD	FWD 4WD
4WD/AWD settings	2WD Auto 4WD lock	Auto Terrain settings	Auto 4WD lock	Auto	Auto
Transmission	Xtronic CVT®	6-speed A/T	5-speed A/T	6-speed A/T	6-speed A/T
2-Wheel or 4-Wheel Active Brake Limited Slip (ABLS)	S	S	S (2-wheel only)	N/A	N/A
Hill start assist	A	A	S	S	S
<b>SUSPENSION AND STEERING</b>					
Steering	Vehicle-speed-sensitive	Vehicle-speed-sensitive	Engine-speed-sensitive	Engine-speed-sensitive	Vehicle-speed-sensitive (electric power steering)
<b>BRAKING</b>					
Vented discs	Front and rear	Front only	Front only	Front and rear	Front only
<b>CHASSIS</b>					
Body construction	Unibody	Unibody	Unibody	Unibody	Unibody

For Dealer Personnel Only

Copyright 2013 by  
Nissan North America, Inc.



## 2013 PATHFINDER VS PRIMARY COMPETITORS

	2013 NISSAN PATHFINDER	2013 FORD EXPLORER	2013 HONDA PILOT	2013 CHEVROLET TRAVERSE	2013 TOYOTA HIGHLANDER
<b>WHEELS AND TIRES</b>					
Available sizes (in.)	18 20	17 18 20	17 18	17 18 20	17 19
<b>EXTERIOR</b>					
Heated outside mirrors with tilt-down function	A	A (no tilt-down)	A (no tilt-down)	A	A (no tilt-down)
Dual panorama moonroof	A	N/A	N/A	N/A	N/A
<b>INTERIOR</b>					
Climate-controlled (heated and cooled) front seats	A	A	S	A	N/A
Heated steering wheel	A	A	N/A	N/A	N/A
Heated outboard 2nd-row seats	A	A	N/A	N/A	N/A
LATCH AND GLIDE™ <sup>1</sup> technology	S	N/A	N/A	N/A	N/A
Reclining 3rd-row seatbacks	S	N/A	N/A	N/A	N/A
<b>COMFORT AND CONVENIENCE</b>					
Tri-zone Automatic Climate Control	S	S	S	A	A
Nissan Intelligent Key® with Push Button Ignition	A	A	N/A	N/A	A
Remote Engine Start <sup>2</sup>	A	A	N/A	A	A (accessory only)
Hard-drive-based navigation system <sup>3</sup>	A	A (SD-card-based)	A	A (DVD-based)	A (DVD-based)
NavTraffic <sup>4</sup>	A	A	A	A	A
NavWeather	A	N/A	N/A	N/A	N/A
Zagat Survey® <sup>5</sup> restaurant guide	A	N/A	A	N/A	N/A
Around View® Monitor <sup>6</sup>	A	N/A	N/A	N/A	N/A
Easy-Fill Tire Alert	S	N/A	N/A	N/A	N/A
<b>INSTRUMENTATION</b>					
Customizable vehicle information display	A	A	S	N/A	A
<b>SAFETY</b>					
Driver and front-passenger seat-mounted side-impact supplemental air bags <sup>7</sup>	S	S	S	S	S
3-row roof-mounted curtain side-impact supplemental air bags with rollover sensor	S	S	S	S	S
<b>AUDIO SYSTEMS</b>					
Tri-zone entertainment system <sup>8</sup>	A	A (accessory only)	N/A (single rear screen)	A (accessory only)	A (accessory only)

## 2013 PATHFINDER VS PRIMARY COMPETITORS

	2013 NISSAN PATHFINDER	2013 FORD EXPLORER	2013 HONDA PILOT	2013 CHEVROLET TRAVERSE	2013 TOYOTA HIGHLANDER
<b>EXTERIOR DIMENSIONS</b>					
Wheelbase (in.)	114.2	112.6	109.2	118.9	109.8
Overall length (in.)	197.2	197.1	191.4	203.7	188.4
Overall width (in.)	77.2	78.9	78.5	78.5	75.2
Overall height (in.)	69.6	70.4	70.7–72.4	69.9	68.1–69.3
Ground clearance (in.)	6.5	7.6	8.0	7.2	8.0
<b>INTERIOR DIMENSIONS</b>					
Head room front/2nd/3rd (in.) (without moonroof)	42.2/39.4/37.8	41.4/40.5/37.8	40.0/39.8/38.2	40.4/39.4/37.8	40.6/40.1/36.3
Shoulder room front/2nd/3rd (in.)	60.7/60.4/57.1	61.3/61.0/50.8	61.5/62.2/58.9	61.5/61.0/57.6	59.7/59.5/55.0
Hip room front/2nd/3rd (in.)	56.8/56.1/42.0	57.3/56.7/40.7	58.6/56.9/48.4	58.0/57.8/48.3	56.7/56.5/42.3
Leg room front/2nd/3rd (in.)	42.3/41.7/30.7	40.6/39.8/33.2	41.4/38.5/32.1	41.3/36.8/33.2	43.2/38.3/29.9
<b>CAPACITIES<sup>9</sup></b>					
Cargo capacity (all seats upright/ 2nd row upright, 3rd row folded/ 2nd and 3rd rows folded) (cu. ft.)	16.0/42.7–47.8/ 79.8	21.0/43.8/80.7	18.0/47.7/87.0	24.4/70.3/116.3	10.3/42.3/95.4
Fuel tank capacity (gal.)	19.5	18.6	21.0	22.0	19.2
Towing capacity <sup>10</sup> (lbs.)	5000	5000	2000–4500	2000–5200	1500–5000
<b>EPA MILEAGE ESTIMATES<sup>11</sup></b>					
Automatic transmission (city/hwy/comb) (mpg)	20/26/22 (2WD) 19/25/21 (4WD)	20/28/23 (4-cyl. 2WD) 17/24/20 (V6 2WD) 17/23/19 (V6 4WD) 16/22/18 (turbo V6 4WD)	18/25/21 (2WD) 17/24/20 (4WD)	17/24/19 (2WD) 16/23/19 (4WD)	20/25/22 (2WD 4-cyl.) 18/24/20 (2WD V6) 17/22/19 (4WD V6)
<b>WARRANTY COVERAGE (LIMITED)</b>					
Basic (years/miles)	3/36,000	3/36,000	3/36,000	3/36,000	3/36,000
Powertrain (years/miles)	5/60,000	5/60,000	5/60,000	5/100,000	5/60,000
Corrosion (years/miles)	5/unlimited	5/unlimited	5/unlimited	6/100,000	5/unlimited

<sup>1</sup> Slide forward function should not be performed with the CRS occupied.

<sup>2</sup> State laws may apply; review local laws before using.

<sup>3</sup> Never program while driving. GPS mapping may not be detailed in all areas or reflect current road regulations.

<sup>4</sup> Required SiriusXM Satellite Radio, NavTraffic and NavWeather subscriptions sold separately after trial period. Installation costs, one-time activation fee, other fees and taxes will apply. NavTraffic available in select markets. Services available only to those 18 or older in the 48 contiguous states and D.C. Fees and programming subject to change. Subscriptions governed by Customer Agreement available at [siriusxm.com](http://siriusxm.com). ©2013 Sirius XM Radio Inc. Sirius, XM and all related marks and logos are trademarks of Sirius XM Radio Inc.

<sup>5</sup> Zagat Survey® is a registered trademark of Zagat Survey, LLC Ltd.

<sup>6</sup> Parking aid/convenience feature. Cannot completely eliminate blind spots. May not detect every object and does not warn of moving objects. Always check surroundings before moving vehicle. Not a substitute for proper backing procedures. Always turn to check what is behind you before backing up.

<sup>7</sup> Air bags are only a supplemental restraint system; always wear your seat belt. Even with the occupant-classification sensor, rear-facing child restraints should not be placed in the front-passenger's seat. Also, all children 12 and under should ride in the rear seat properly secured in child restraints, booster seats, or seat belts according to their size. Air bags will only inflate in certain accidents; see your owner's manual for more details.

<sup>8</sup> Tri-zone operation requires compatible auxiliary media system. See Owner's Manual for details.

<sup>9</sup> Cargo and load capacity limited by weight and distribution. Always secure all cargo.

<sup>10</sup> See Nissan Towing Guide and Owner's Manual for proper use.

<sup>11</sup> Actual mileage may vary with driving conditions — use for comparison only.